


Chicago Gasket Company

SIZE CHART

Includes 360 Standard sizes up to 19½ OD

"Mirror Finish"™ TFE O-Rings



Chicago QUALITY PTFE PRODUCTS

Chicago Gasket Company
1285 West North Avenue
Chicago, IL 60622

When ordering, specify dash numbers for standard sizes or full dimensions and tolerances for metric sizes or specials.

Chicago Gasket AS 568A Dash No.	O-RING SIZE					
	Nominal			Actual		
	ID	OD	W	ID	±	W ±
DASH NUMBERS -001 to -005 NOT MADE IN TFE						
-006	1/8	1/4	1/16	.114	.005	.070 .003
-007	5/32	9/32	1/16	.145	.005	.070 .003
-008	3/16	5/16	1/16	.176	.005	.070 .003
-009	7/32	11/32	1/16	.208	.005	.070 .003
-010	1/4	3/8	1/16	.239	.005	.070 .003
-011	5/16	7/16	1/16	.301	.005	.070 .003
-012	3/8	1/2	1/16	.364	.005	.070 .003
-013	7/16	9/16	1/16	.426	.005	.070 .003
-014	1/2	5/8	1/16	.489	.005	.070 .003
-015	9/16	11/16	1/16	.551	.005	.070 .003
-016	5/8	3/4	1/16	.614	.005	.070 .003
-017	11/16	13/16	1/16	.676	.005	.070 .003
-018	3/4	7/8	1/16	.739	.005	.070 .003
-019	13/16	15/16	1/16	.801	.006	.070 .003
-020	7/8	1	1/16	.864	.006	.070 .003
-021	15/16	1-1/16	1/16	.926	.006	.070 .003
-022	1	1-1/8	1/16	.989	.006	.070 .003
-023	1-1/16	1-3/16	1/16	1.051	.006	.070 .003
-024	1-1/8	1-1/4	1/16	1.114	.006	.070 .003
-025	1-3/16	1-5/16	1/16	1.176	.006	.070 .003
-026	1-1/4	1-3/8	1/16	1.239	.006	.070 .003
-027	1-5/16	1-7/16	1/16	1.301	.006	.070 .003
-028	1-3/8	1-1/2	1/16	1.364	.006	.070 .003
-029	1-1/2	1-5/8	1/16	1.489	.010	.070 .003
-030	1-5/8	1-3/4	1/16	1.614	.010	.070 .030
-031	1-3/4	1-7/8	1/16	1.739	.010	.070 .003
-032	1-7/8	2	1/16	1.864	.010	.070 .003
-033	2	2-1/8	1/16	1.989	.010	.070 .003
-034	2-1/8	2-1/4	1/16	2.114	.010	.070 .003
-035	2-1/4	2-3/8	1/16	2.239	.010	.070 .003
-036	2-3/8	2-1/2	1/16	2.364	.010	.070 .003
-037	2-1/2	2-5/8	1/16	2.489	.010	.070 .003
-038	2-5/8	2-3/4	1/16	2.614	.010	.070 .003
-039	2-3/4	2-7/8	1/16	2.739	.015	.070 .003
-040	2-7/8	3	1/16	2.864	.015	.070 .003
-041	3	3-1/8	1/16	2.989	.015	.070 .003
-042	3-1/4	3-3/8	1/16	3.239	.015	.070 .003
-043	3-1/2	3-5/8	1/16	3.489	.015	.070 .003
-044	3-3/4	3-7/8	1/16	3.739	.015	.070 .003
-045	4	4-1/8	1/16	3.989	.015	.070 .003
-046	4-1/4	4-3/8	1/16	4.239	.015	.070 .003
-047	4-1/2	4-5/8	1/16	4.489	.015	.070 .003
-048	4-3/4	4-7/8	1/16	4.739	.015	.070 .003
-049	5	5-1/8	1/16	4.989	.015	.070 .003
-050	5-1/4	5-3/8	1/16	5.239	.015	.070 .003
DASH NUMBERS -051 THRU -104 O-RING SIZES NOT ASSIGNED						
-105	5/32	11/32	3/32	.143	.005	.103 .003
-106	3/16	3/8	3/32	.174	.005	.103 .003
-107	7/32	13/32	3/32	.206	.005	.103 .003
-108	1/4	7/16	3/32	.237	.005	.103 .003
-109	5/16	1/2	3/32	.299	.005	.103 .003

*Teflon — DuPont Reg. Trade Mark. "Chicago"™; "Mirror Finish"™; and "Free-Way"™—Chicago Gasket Company Trade Marks.

Chicago Gasket Company 1285 West North Avenue • Chicago, IL 60622

"Mirror Finish"™ TFE O-Rings

Chicago Gasket AS 568A Dash No.	O-RING SIZE						
	Nominal			Actual			
	ID	OD	W	ID	±	W	±
-110	3/8	9/16	3/32	.362	.005	.103	.003
-111	7/16	5/8	3/32	.424	.005	.103	.003
-112	1/2	11/16	3/32	.487	.005	.103	.003
-113	9/16	3/4	3/32	.549	.005	.103	.003
-114	5/8	13/16	3/32	.612	.005	.103	.003
-115	11/16	7/8	3/32	.674	.005	.103	.003
-116	3/4	15/16	3/32	.737	.005	.103	.003
-117	13/16	1	3/32	.799	.006	.103	.003
-118	7/8	1-1/16	3/32	.862	.006	.103	.003
-119	15/16	1-1/8	3/32	.924	.006	.103	.003
-120	1	1-3/16	3/32	.987	.006	.103	.003
-121	1-1/16	1-1/4	3/32	1.049	.006	.103	.003
-122	1-1/8	1-5/16	3/32	1.112	.006	.103	.003
-123	1-3/16	1-3/8	3/32	1.174	.006	.103	.003
-124	1-1/4	1-7/16	3/32	1.237	.006	.103	.003
-125	1-5/16	1-1/2	3/32	1.299	.006	.103	.003
-126	1-3/8	1-9/16	3/32	1.362	.006	.103	.003
-127	1-7/16	1-5/8	3/32	1.424	.006	.103	.003
-128	1-1/2	1-11/16	3/32	1.487	.006	.103	.003
-129	1-9/16	1-3/4	3/32	1.549	.010	.103	.003
-130	1-5/8	1-13/16	3/32	1.612	.010	.103	.003
-131	1-11/16	1-7/8	3/32	1.674	.010	.103	.003
-132	1-3/4	1-15/16	3/32	1.737	.010	.103	.003
-133	1-13/16	2	3/32	1.799	.010	.103	.003
-134	1-7/8	2-1/16	3/32	1.862	.010	.103	.003
-135	1-15/16	2-1/8	3/32	1.925	.010	.103	.003
-136	2	2-3/16	3/32	1.987	.010	.103	.003
-137	2-1/16	2-1/4	3/32	2.050	.010	.103	.003
-138	2-1/8	2-5/16	3/32	2.112	.010	.103	.003
-139	2-3/16	2-3/8	3/32	2.175	.010	.103	.003
-140	2-1/4	2-7/16	3/32	2.237	.010	.103	.003
-141	2-5/16	2-1/2	3/32	2.300	.010	.103	.003
-142	2-3/8	2-9/16	3/32	2.362	.010	.103	.003
-143	2-7/16	2-5/8	3/32	2.425	.010	.103	.003
-144	2-1/2	2-11/16	3/32	2.487	.010	.103	.003
-145	2-9/16	2-3/4	3/32	2.550	.010	.103	.003
-146	2-5/8	2-13/16	3/32	2.612	.010	.103	.003
-147	2-11/16	2-7/8	3/32	2.675	.015	.103	.003
-148	2-3/4	2-15/16	3/32	2.737	.015	.103	.003
-149	2-13/16	3	3/32	2.800	.015	.103	.003
-150	2-7/8	3-1/16	3/32	2.862	.015	.103	.003
-151	3	3-3/16	3/32	2.987	.015	.103	.003
-152	3-1/4	3-7/16	3/32	3.237	.015	.103	.003
-153	3-1/2	3-11/16	3/32	3.487	.015	.103	.003
-154	3-3/4	3-15/16	3/32	3.737	.015	.103	.003
-155	4	4-3/16	3/32	3.987	.015	.103	.003
-156	4-1/4	4-7/16	3/32	4.237	.015	.103	.003
-157	4-1/2	4-11/16	3/32	4.487	.015	.103	.003
-158	4-3/4	4-15/16	3/32	4.737	.015	.103	.003
-159	5	5-3/16	3/32	4.987	.015	.103	.003
-160	5-1/4	5-7/16	3/32	5.237	.023	.103	.003
-161	5-1/2	5-11/16	3/32	5.487	.023	.103	.003
-162	5-3/4	5-15/16	3/32	5.737	.023	.103	.003
-163	6	6-3/16	3/32	5.987	.023	.103	.003
-164	6-1/4	6-7/16	3/32	6.237	.023	.103	.003
-165	6-1/2	6-11/16	3/32	6.487	.023	.103	.003
-166	6-3/4	6-15/16	3/32	6.737	.023	.103	.003

Chicago Gasket AS 568A Dash No.	O-RING SIZE						
	Nominal			Actual			
	ID	OD	W	ID	±	W	±
-167	7	7-3/16	3/32	6.987	.023	.103	.003
-168	7-1/4	7-7/16	3/32	7.237	.030	.103	.003
-169	7-1/2	7-11/16	3/32	7.487	.030	.103	.003
-170	7-3/4	7-15/16	3/32	7.737	.030	.103	.003
-171	8	8-3/16	3/32	7.987	.030	.103	.003
-172	8-1/4	8-7/16	3/32	8.237	.030	.103	.003
-173	8-1/2	8-11/16	3/32	8.487	.030	.103	.003
-174	8-3/4	8-15/16	3/32	8.737	.030	.103	.003
-175	9	9-3/16	3/32	8.987	.030	.103	.003
-176	9-1/4	9-7/16	3/32	9.237	.030	.103	.003
-177	9-1/2	9-11/16	3/32	9.487	.030	.103	.003
-178	9-3/4	9-15/16	3/32	9.737	.030	.103	.003
DASH NUMBERS -179 THRU -200 O-RING SIZES NOT ASSIGNED							
-201	3/16	7/16	1/8	.171	.006	.139	.004
-202	1/4	1/2	1/8	.234	.006	.139	.004
-203	5/16	9/16	1/8	.296	.006	.139	.004
-204	3/8	5/8	1/8	.359	.006	.139	.004
-205	7/16	11/16	1/8	.421	.006	.139	.004
-206	1/2	3/4	1/8	.484	.006	.139	.004
-207	9/16	13/16	1/8	.546	.006	.139	.004
-208	5/8	7/8	1/8	.609	.006	.139	.004
-209	11/16	15/16	1/8	.671	.006	.139	.004
-210	3/4	1	1/8	.734	.006	.139	.004
-211	13/16	1-1/16	1/8	.796	.006	.139	.004
-212	7/8	1-1/8	1/8	.859	.006	.139	.004
-213	15/16	1-3/16	1/8	.921	.006	.139	.004
-214	1	1-1/4	1/8	.984	.006	.139	.004
-215	1-1/16	1-5/16	1/8	1.046	.006	.139	.004
-216	1-1/8	1-3/8	1/8	1.109	.006	.139	.004
-217	1-3/16	1-7/16	1/8	1.171	.006	.139	.004
-218	1-1/4	1-1/2	1/8	1.234	.006	.139	.004
-219	1-5/16	1-9/16	1/8	1.296	.006	.139	.004
-220	1-3/8	1-5/8	1/8	1.359	.006	.139	.004
-221	1-7/16	1-11/16	1/8	1.421	.006	.139	.004
-222	1-1/2	1-3/4	1/8	1.484	.006	.139	.004
-223	1-5/8	1-7/8	1/8	1.609	.010	.139	.004
-224	1-3/4	2	1/8	1.734	.010	.139	.004
-225	1-7/8	2-1/8	1/8	1.859	.010	.139	.004
-226	2	2-1/4	1/8	1.984	.010	.139	.004
-227	2-1/8	2-3/8	1/8	2.109	.010	.139	.004
-228	2-1/4	2-1/2	1/8	2.234	.010	.139	.004
-229	2-3/8	2-5/8	1/8	2.359	.010	.139	.004
-230	2-1/2	2-3/4	1/8	2.484	.010	.139	.004
-231	2-5/8	2-7/8	1/8	2.609	.010	.139	.004
-232	2-3/4	3	1/8	2.734	.015	.139	.004
-233	2-7/8	3-1/8	1/8	2.859	.015	.139	.004
-234	3	3-1/4	1/8	2.984	.015	.139	.004
-235	3-1/8	3-3/8	1/8	3.109	.015	.139	.004
-236	3-1/4	3-1/2	1/8	3.234	.015	.139	.004
-237	3-3/8	3-5/8	1/8	3.359	.015	.139	.004
-238	3-1/2	3-3/4	1/8	3.484	.015	.139	.004
-239	3-5/8	3-7/8	1/8	3.609	.015	.139	.004
-240	3-3/4	4	1/8	3.734	.015	.139	.004
-241	3-7/8	4-1/8	1/8	3.859	.015	.139	.004
-242	4	4-1/4	1/8	3.984	.015	.139	.004
-243	4-1/8	4-3/8	1/8	4.109	.015	.139	.004
-244	4-1/4	4-1/2	1/8	4.234	.015	.139	.004
-245	4-3/8	4-5/8	1/8	4.359	.015	.139	.004

"Mirror Finish"™ TFE O-Rings

Chicago Gasket AS 568A Dash No.	O-RING SIZE						
	Nominal			Actual			
	ID	OD	W	ID	±	W	±
-246	4-1/2	4-3/4	1/8	4.484	.015	.139	.004
-247	4-5/8	4-7/8	1/8	4.609	.015	.139	.004
-248	4-3/4	5	1/8	4.734	.015	.139	.004
-249	4-7/8	5-1/8	1/8	4.859	.015	.139	.004
-250	5	5-1/4	1/8	4.984	.015	.139	.004
-251	5-1/8	5-3/8	1/8	5.109	.023	.139	.004
-252	5-1/4	5-1/2	1/8	5.234	.023	.139	.004
-253	5-3/8	5-5/8	1/8	5.359	.023	.139	.004
-254	5-1/2	5-3/4	1/8	5.484	.023	.139	.004
-255	5-5/8	5-7/8	1/8	5.609	.023	.139	.004
-256	5-3/4	6	1/8	5.734	.023	.139	.004
-257	5-7/8	6-1/8	1/8	5.859	.023	.139	.004
-258	6	6-1/4	1/8	5.984	.023	.139	.004
-259	6-1/4	6-1/2	1/8	6.234	.023	.139	.004
-260	6-1/2	6-3/4	1/8	6.484	.023	.139	.004
-261	6-3/4	7	1/8	6.734	.023	.139	.004
-262	7	7-1/4	1/8	6.984	.023	.139	.004
-263	7-1/4	7-1/2	1/8	7.234	.030	.139	.004
-264	7-1/2	7-3/4	1/8	7.484	.030	.139	.004
-265	7-3/4	8	1/8	7.734	.030	.139	.004
-266	8	8-1/4	1/8	7.984	.030	.139	.004
-267	8-1/4	8-1/2	1/8	8.234	.030	.139	.004
-268	8-1/2	8-3/4	1/8	8.484	.030	.139	.004
-269	8-3/4	9	1/8	8.734	.030	.139	.004
-270	9	9-1/4	1/8	8.984	.030	.139	.004
-271	9-1/4	9-1/2	1/8	9.234	.030	.139	.004
-272	9-1/2	9-3/4	1/8	9.484	.030	.139	.004
-273	9-3/4	10	1/8	9.734	.030	.139	.004
-274	10	10-1/4	1/8	9.984	.030	.139	.004
-275	10-1/2	10-3/4	1/8	10.484	.030	.139	.004
-276	11	11-1/4	1/8	10.984	.030	.139	.004
-277	11-1/2	11-3/4	1/8	11.484	.030	.139	.004
-278	12	12-1/4	1/8	11.984	.030	.139	.004
-279	13	13-1/4	1/8	12.984	.030	.139	.004
-280	14	14-1/4	1/8	13.984	.030	.139	.004
-281	15	15-1/4	1/8	14.984	.030	.139	.004
DASH NUMBERS -285 THRU -308 O-RING SIZES NOT ASSIGNED							
DASH NUMBERS -282, -283, -284 QUOTED UPON REQUEST							
-309	7/16	13/16	3/16	.412	.007	.210	.005
-310	1/2	7/8	3/16	.475	.007	.210	.005
-311	9/16	15/16	3/16	.537	.007	.210	.005
-312	5/8	1	3/16	.600	.009	.210	.005
-313	11/16	1-1/16	3/16	.662	.009	.210	.005
-314	3/4	1-1/8	3/16	.725	.009	.210	.005
-315	13/16	1-3/16	3/16	.787	.009	.210	.005
-316	7/8	1-1/4	3/16	.850	.009	.210	.005
-317	15/16	1-15/16	3/16	.912	.009	.210	.005
-318	1	1-3/8	3/16	.975	.010	.210	.005
-319	1-1/16	1-7/16	3/16	1.037	.010	.210	.005
-320	1-1/8	1-1/2	3/16	1.100	.010	.210	.005
-321	1-3/16	1-9/16	3/16	1.162	.010	.210	.005
-322	1-1/4	1-5/8	3/16	1.225	.010	.210	.005
-323	1-5/16	1-11/16	3/16	1.287	.010	.210	.005
-324	1-3/8	1-3/4	3/16	1.350	.010	.210	.005
-325	1-1/2	1-7/8	3/16	1.475	.010	.210	.005
-326	1-5/8	2	3/16	1.600	.010	.210	.005
-327	1-3/4	2-1/8	3/16	1.725	.010	.210	.005
-328	1-7/8	2-1/4	3/16	1.850	.010	.210	.005

Chicago Gasket AS 568A Dash No.	O-RING SIZE						
	Nominal			Actual			
	ID	OD	W	ID	±	W	±
-329	2	2-3/8	3/16	1.975	.010	.210	.005
-330	2-1/8	2-1/2	3/16	2.100	.010	.210	.005
-331	2-1/4	2-5/8	3/16	2.225	.010	.210	.005
-332	2-3/8	2-3/4	3/16	2.350	.010	.210	.005
-333	2-1/2	2-7/8	3/16	2.475	.010	.210	.005
-334	2-5/8	3	3/16	2.600	.010	.210	.005
-335	2-3/4	3-1/8	3/16	2.725	.015	.210	.005
-336	2-7/8	3-1/4	3/16	2.850	.015	.210	.005
-337	3	3-3/8	3/16	2.975	.015	.210	.005
-338	3-1/8	3-1/2	3/16	3.100	.015	.210	.005
-339	3-1/4	3-5/8	3/16	3.225	.015	.210	.005
-340	3-3/8	3-3/4	3/16	3.350	.015	.210	.005
-341	3-1/2	3-7/8	3/16	3.475	.015	.210	.005
-342	3-5/8	4	3/16	3.600	.015	.210	.005
-343	3-3/4	4-1/8	3/16	3.725	.015	.210	.005
-344	3-7/8	4-1/4	3/16	3.850	.015	.210	.005
-345	4	4-3/8	3/16	3.975	.015	.210	.005
-346	4-1/8	4-1/2	3/16	4.100	.015	.210	.005
-347	4-1/4	4-5/8	3/16	4.225	.015	.210	.005
-348	4-3/8	4-3/4	3/16	4.350	.015	.210	.005
-349	4-1/2	4-7/8	3/16	4.475	.015	.210	.005
-350	4-5/8	5	3/16	4.600	.015	.210	.005
-351	4-3/4	5-1/8	3/16	4.725	.015	.210	.005
-352	4-7/8	5-1/4	3/16	4.850	.015	.210	.005
-353	5	5-3/8	3/16	4.975	.015	.210	.005
-354	5-1/8	5-1/2	3/16	5.100	.023	.210	.005
-355	5-1/4	5-5/8	3/16	5.225	.023	.210	.005
-356	5-3/8	5-3/4	3/16	5.350	.023	.210	.005
-357	5-1/2	5-7/8	3/16	5.475	.023	.210	.005
-358	5-5/8	6	3/16	5.600	.023	.210	.005
-359	5-3/4	6-1/8	3/16	5.725	.023	.210	.005
-360	5-7/8	6-1/4	3/16	5.850	.023	.210	.005
-361	6	6-3/8	3/16	5.975	.023	.210	.005
-362	6-1/4	6-5/8	3/16	6.225	.023	.210	.005
-363	6-1/2	6-7/8	3/16	6.475	.023	.210	.005
-364	6-3/4	7-1/8	3/16	6.725	.023	.210	.005
-365	7	7-3/8	3/16	6.975	.023	.210	.005
-366	7-1/4	7-5/8	3/16	7.225	.030	.210	.005
-367	7-1/2	7-7/8	3/16	7.475	.030	.210	.005
-368	7-3/4	8-1/8	3/16	7.725	.030	.210	.005
-369	8	8-3/8	3/16	7.975	.030	.210	.005
-370	8-1/4	8-5/8	3/16	8.225	.030	.210	.005
-371	8-1/2	8-7/8	3/16	8.475	.030	.210	.005
-372	8-3/4	9-1/8	3/16	8.725	.030	.210	.005
-373	9	9-3/8	3/16	8.975	.030	.210	.005
-374	9-1/4	9-5/8	3/16	9.225	.030	.210	.005
-375	9-1/2	9-7/8	3/16	9.475	.030	.210	.005
-376	9-3/4	10-1/8	3/16	9.725	.030	.210	.005
-377	10	10-3/8	3/16	9.975	.030	.210	.005
-378	10-1/2	10-7/8	3/16	10.475	.030	.210	.005
-379	11	11-3/8	3/16	10.975	.030	.210	.005
-380	11-1/2	11-7/8	3/16	11.475	.030	.210	.005
-381	12	12-3/8	3/16	11.975	.030	.210	.005
-382	13	13-3/8	3/16	12.975	.030	.210	.005
-383	14	14-3/8	3/16	13.975	.030	.210	.005
-384	15	15-3/8	3/16	14.975	.030	.210	.005
-385	16	16-3/8	3/16	15.955	.045	.210	.005
-386	17	17-3/8	3/16	16.955	.045	.210	.005
-387	18	18-3/8	3/16	17.955	.045	.210	.005
-388	19	19-3/8	3/16	18.952	.047	.210	.005

"Mirror Finish"™ TFE O-Rings

Chicago Gasket AS 568A Dash No.	O-RING SIZE						
	Nominal			Actual			
	ID	OD	W	ID	±	W	±
-425	4-1/2	5	1/4	4.475	.015	.275	.006
-426	4-5/8	5-1/8	1/4	4.600	.015	.275	.006
-427	4-3/4	5-1/4	1/4	4.725	.015	.275	.006
-428	4-7/8	5-3/8	1/4	4.850	.015	.275	.006
-429	5	5-1/2	1/4	4.975	.015	.275	.006
-430	5-1/8	5-5/8	1/4	5.100	.023	.275	.006
-431	5-1/4	5-3/4	1/4	5.225	.023	.275	.006
-432	5-3/8	5-7/8	1/4	5.350	.023	.275	.006
-433	5-1/2	6	1/4	5.475	.023	.275	.006
-434	5-5/8	6-1/8	1/4	5.600	.023	.275	.006
-435	5-3/4	6-1/4	1/4	5.725	.023	.275	.006
-436	5-7/8	6-3/8	1/4	5.850	.023	.275	.006
-437	6	6-1/2	1/4	5.975	.023	.275	.006
-438	6-1/4	6-3/4	1/4	6.225	.023	.275	.006
-439	6-1/2	7	1/4	6.475	.023	.275	.006
-440	6-3/4	7-1/4	1/4	6.725	.023	.275	.006
-441	7	7-1/2	1/4	6.975	.023	.275	.006
-442	7-1/4	7-3/4	1/4	7.225	.030	.275	.006
-443	7-1/2	8	1/4	7.475	.030	.275	.006
-444	7-3/4	8-1/4	1/4	7.725	.030	.275	.006
-445	8	8-1/2	1/4	7.975	.030	.275	.006
-446	8-1/2	9	1/4	8.475	.030	.275	.006
-447	9	9-1/2	1/4	8.975	.030	.275	.006
-448	9-1/2	10	1/4	9.475	.030	.275	.006
-449	10	10-1/2	1/4	9.975	.030	.275	.006
-450	10-1/2	11	1/4	10.475	.030	.275	.006
-451	11	11-1/2	1/4	10.975	.030	.275	.006
-452	11-1/2	12	1/4	11.475	.030	.275	.006
-453	12	12-1/2	1/4	11.975	.030	.275	.006
-454	12-1/2	13	1/4	12.475	.030	.275	.006
-455	13	13-1/2	1/4	12.975	.030	.275	.006
-456	13-1/2	14	1/4	13.475	.030	.275	.006
-457	14	14-1/2	1/4	13.975	.030	.275	.006
-458	14-1/2	15	1/4	14.475	.030	.275	.006
-459	15	15-1/2	1/4	14.975	.030	.275	.006
-460	15-1/2	16	1/4	15.475	.030	.275	.006
-461	16	16-1/2	1/4	15.955	.045	.275	.006
-462	16-1/2	17	1/4	16.455	.045	.275	.006
-463	17	17-1/2	1/4	16.955	.045	.275	.006
-464	17-1/2	18	1/4	17.455	.045	.275	.006
-465	18	18-1/2	1/4	17.955	.045	.275	.006
-466	18-1/2	19	1/4	18.455	.045	.275	.006
-467	19	19-1/2	1/4	18.955	.045	.275	.006

Boss Gaskets (900 Series O-Rings)

ARP-568	TUBE SIZE				
	Nominal	Actual Size			
		ED	±	W	±
-901	3/32	.185	.005	.056	.003
-902	1/8	.239	.005	.064	.003
-903	3/16	.301	.005	.064	.003
-904	1/4	.351	.005	.072	.003
-905	5/16	.414	.005	.072	.003
-906	3/8	.468	.005	.078	.003
-907	7/16	.530	.005	.082	.003
-908	1/2	.644	.005	.087	.003
-909	9/16	.706	.005	.097	.003
-910	5/8	.755	.005	.097	.003
-911	11/16	.863	.005	.116	.004
-912	3/4	.924	.005	.116	.004
-913	13/16	.986	.010	.116	.004
-914	7/8	1.047	.010	.116	.004
-916	1	1.171	.010	.116	.004
-918	1-1/8	1.355	.010	.118	.004
-920	1-1/4	1.475	.010	.118	.004
-924	1-1/2	1.720	.010	.118	.004
-928	1-3/4	2.090	.010	.118	.004
-932	2	2.337	.010	.118	.004

SOLID TFE O-RINGS

"Mirror Finish" solid TFE O-Rings are inert to most chemicals up to 500°F.

For full technical data and applications on solid TFE O-Rings, ask for Bulletin O-3.

NOTE: "Mirror Finish" O-Rings are made to the closer class I tolerances. Class II specifications apply to "Free-Way" PTFE encapsulated O-Rings.

Solid TFE O-Rings are available in standard and special sizes up to 19 1/2" OD.

TEFLON® ENCAPSULATED O-RINGS

"Free-Way" Teflon® encapsulated O-Rings have FEP jackets for temperatures up to 400°F and PFA jackets for temperatures up to 500°F. FEP is supplied unless PFA is specified. Choice of silicone or viton cores.

For complete data on Teflon® encapsulated silicone and viton O-Rings, ask for Bulletin FW-1.

Teflon® encapsulated O-Rings are available in cross-sections up to 1/2" or more and diameters up to 6 feet or larger.

To place orders or to obtain stock sizes and prices:

IN THE U.S., call Toll-Free 1-800-833-5666

IN CANADA, call 1-800-525-9700

IN ILLINOIS, call 1-312-486-3060

FAX: 1-312-486-3784

®Teflon—DuPont Reg. Trade Mark. "Chicago"™; "Mirror Finish"™; and "Free-Way"™—Chicago Gasket Company Trade Marks.